PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: (11) International Publication Number: WO 91/10772 A1 D06M 23/12 (43) International Publication Date: 25 July 1991 (25.07.91) (74) Agents: McNEIGHT, David, Leslie et al.; McNeight & (21) International Application Number: PCT/GB91/00063 Lawrence, Regent House, Heaton Lane, Stockport, (22) International Filing Date: 16 January 1991 (16.01.91) Cheshire SK4 IBS (GB). (81) Designated States: AT (European patent), AU, BE (Euro-(30) Priority data: pean patent), CA, CH (European patent), DE (Euro-18 January 1990 (18.01.90) 9001108.1 GB pean patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), GR (71) Applicant (for all designated States except US): BRITISH TEXTILE TECHNOLOGY GROUP [GB/GB]; Shirley (European patent), IT (European patent), JP, LU (European patent), NL (European patent), PL, SE (European Towers, Didsbury Road, Didsbury, Manchester M20 patent), SU, US. 8RX (GB). **Published** (72) Inventors; and (75) Inventors/Applicants (for US only): SAGAR, Brian [GB/ With international search report. GB]; 42 Moseley Road, Cheadle Hulme, Cheadle, Before the expiration of the time limit for amending the Cheshire SK8 5HJ (GB). WALES, David [GB/GB]; 48 claims and to be republished in the event of the receipt of Browning Road, Reddish, Stockport, Cheshire SK5 6JN amendments. (GB). NELSON, Gordon [GB/GB]; 2 Edgeworth Drive, Manchester M14 6RU (GB).

(54) Title: TREATING MATERIALS

(57) Abstract

Substances, e.g. insecticides, dyes, fragrances, are encapsulated in microcapsules of e.g. yeast and attached to materials e.g. of cotton or wool with a binder which does not impede the release of the substance from the microcapsule.

FOR THE PURPOSES OF INFORMATION ONLY

.

.

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΑT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BP	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Notherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	lТ	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SB	Sweden
CH	Switzerland		of Korea	SN	Senegat
Ci	Côte d'Ivoire	KR	Republic of Korea	SU	Soviet Union
CM	Cameroon	Lì	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

TREATING MATERIALS

This invention relates to treating materials, for example, textiles. <u>Inter alia</u> the invention relates to treating textiles with flame retardants, biocides, insecticides, odoriferous agents and dyes.

It is known that paper can be treated with dyes and odoriferous agents contained within microcapsules so that these can be released therefrom when the paper is subjected to compression, as when it is struck by a typewriter key hammer, for example, or compressed or abraded by a writing implement.

The choice of microcapsule has been recently expanded to include microbial cells such as those comprised by fungi, bacteria and algae as disclosed in European Patent Application 0,242,135, which describes adherence of the microcapsules to paper absent a binder or adhesive, although the intended contents for such microcapsules are limited to those classes which are already well known, viz, fragrances, dyes and biocides.

Moreover, the intended uses of such microcapsules are limited to those for which prior microcapsules have found applications. Such applications include those where the contents of the microcapsule are released

- 2 -

continuously therefrom, as in coating paper to produce perfumed drawer liners, for example; or those applications where use of an article coated with or comprising encapsulated substances, for the purpose intended is destructive of further capacity of the article to provide the desired results. Thus, for example, normal use of non-carbon copy paper consumes its capacity for further normal use.

Thus prior microcapsules have found rather pedestrian application in either use once only articles, or in continuous release systems.

The present invention provides novel uses for micro-encapsulation.

According to the present invention there is provided a method for applying substances to materials comprising encapsulating the substances within microcapsules from which the substances can be released either by lesion of the microcapsules or by leaching of the substances therefrom and attaching the microcapsules to the materials with a binder which secures the microcapsules substantially against removal from the material during normal usage of the material but does not impede the release of the substances.

The microcapsules may, for example, be a yeast such as <u>Saccharomyces cerivisiae</u>.

Alternatively said microcapsules may comprise starch or corn granules, or cellulosic fibres, such as those derived from wood pulp.

In the case of substances which may be released continuously from the microcapsules, the substances may be alkali-soluble biocides, odoriferous agents such as mint, clove or cedar wood oils, for example, dyes, or indeed any other appropriate material capable of being encapsulated by known means into said microcapsules.

Encapsulation of the aforementioned oils may be achieved by suspending dried yeast in a solution comprising an organic solvent and an oil and evaporating said solvent so that the oils enter by diffusion.

Of course, where desired, multiple oils may be added to said solvent, and the method according to the invention includes any suitable organic solvent-soluble substance or subtances, in addition to the the aforesaid oils.

Said solvent may be ethanol.

Where the substance is alkali soluble, it may be precipitated with acid within the microcapsule.

Said substance may, for example, be an organosulphur compound when it may be generally desired that it is not continuously released from the microcapsules but is released in response to a specific event.

The microcapsules may be bound to cotton in a moist-cure cross-linking process, using, for example, Fixapret CPN.

Preferably, however, an ethylene grafted vinyl acetate copolymer emulsion, such as Vinamul 6705 is used to bind the microcapsules to cotton.

When the textile is wool, a copolymer comprising adipic acid and diethylene triamine partially cross-linked with epichlorohydrin, such as Hercosett may be used as the binder. It will be appreciated, however, that a copolymer of methylmethacrylate and dimethylamino-ethylmethacrylate, for example, Dylan GRB, likewise treated with epichlorohydrin may also be used as a binder.

The invention will be further apparent from the following description, with reference to the several

figures of the accompanying drawings, which illustrate the invention by way of examples only, with reference to the production of woollen carpets comprising encapsulated insecticides; and the production of fabrics comprising thiol compounds which in response to heat release malodorous gases which act as an indicator of a possible impending conflagration.

Of the drawings :-

- Figure 1 shows schematically the precipitation of an alkali soluble biocide within yeast cells to yield a microcapsule containing biocide, prior to the application thereof, for example, to a woollen carpet;
- Figure 2 likewise shows the microencapsulation of an organic solvent-soluble biocide within yeast cells to yield microcapsules containing biocide prior to the application thereof to textiles;
- Figure 3 is from a scanning electron micrograph of cotton fabric with yeast bound by Vinamul 6705 thereto;

- 6 -

Figure 4 is from a scanning electron micrograph of a cotton wool batt with yeast bound by Vinamul thereto; and

Figure 5 is from a scanning electron micrograph of a wool fibre with yeast bound thereto by Hercosett 125.

The present invention provides a method for applying substances to materials comprising encapsulating the substances within microcapsules from which the substances can be released either by lesion of the microcapsules or by leaching of the substances therefrom and attaching the microcapsules to the materials with a binder which secures the microcapsules substantially against removal from the material during normal usage of the material but does not impede the release of the substances.

Moth proofing agents, Mitin FF, Eulan WA and Perigen were dissolved in ethanol, and a dried yeast, Saccharomyces cerrevisiae, added thereto. The solvent was evaporated from the resulting suspension, and the yeast cells comprising the thereby encapsulated insecticides were applied, using a spray technique in which the binder was vinamul 6705, to samples of woollen carpets.

The Vinamul concentration was approximately 2% by weight of the carpet to which the insecticide containing-yeast cells were added.

The microencapsulated insecticide is, as a consequence of the method, contained within a micro-capsule and released therefrom in response to moth larvae attempting to devour the wool fibres to which the said micro-capsules are attached.

It will be appreciated that the amount of insecticide applied to the carpet is dependent upon the amount of insecticide encapsulated within the yeast cells, as well as on the number of yeast cells bound to the carpet. It may be preferred to encapsulate a relatively low level of insecticide within the cells but to bind a relatively high number of insecticide containing cells to the carpet. It is thought that moth larvae are attracted to yeast as a nutrient source. Encapsulating a small but fatal dose of biocide in each cell and attaching a large number of cells to the wool fibres will provide the capacity to kill large numbers of larvae without depleting the biocide level too much.

The nature of the binder is such that it does not disguise the nature of the microcapsule so that the moth larvae, for example continue to be attracted to the

- 8 -

yeast cells rather than to the fibre, notwithstanding that these are embedded in a binder.

Figures 3 to 5 show the insecticide-containing microcapsules 9 bound with Vinamul 6705 (Figures 3 and 4) or Hercosett 125 (figure 5) to a cotton fibre 10 (Figure 3), a cotton batt 11 (Figure 4) or a wool fibre 12 (Figure 5).

The method, according to the invention provides that the microcapsule is not necessarily pre-formed, but may be formed in situ within the binder.

Thiol containing compounds which produce distinct odours when heated above temperatures encountered during processing and subsequent use can be encapsulated into an inert impervious polymer sheath during the production thereof, and subsequently incorporated into textiles, foams and plastics to act as a sensory early warning agent to indicate a possible conflagration. Vinamul 6705 or the "softer" variants such as Vinacryl 43309 and Vinacryl 43289 may comprise the polymer sheath.

It will be appreciated that it is not intended to limit the invention to the above example only, many variations, such as might readily occur to one skilled in the art, being possible, without departing from the scope thereof as defined by the appended claims.

For example, numerous end use applications of the method according to the invention will be apparent as a consequence of its disclosure.

Although the examples describe application of the microencapsulated substances to substrata by a spraying process, it will be appreciated that a padding process, or indeed a coating, or exhaustion process may be sometimes used with advantage depending on the desired result.

The amount of binder in which the microcapsules are dispersed may be varied so as to affect the distribution of capsules applied to a particular textile. Moreover, it may be desired to alter the accessibility of said capsules so as to expose greater or lesser regions of these to the event which causes release of the substances contained therein.

It will be obvious that the various binders must be treated having regard to the nature of the capsules dispersed therein, so that, for example, treatments which are not detrimental to the binder but which are harmful to the microcapsules and/or contents thereof and vice versa are not used.

- 10 -

The invention is not limited to the examples of the binders described herein, and includes many other suitable polymers, such as polyurethanes and derivatives thereof.

It may be desired to use as a binder, a polymer which when polymerised comprises pores so that volatile substances encapsulated in microcapsules which are completely submerged within the binder are still able to permeate to the environment.


CLAIMS

- 1. A method for applying a substance to a material comprising encapsulating the substance within microcapsules from which the substance can be released and attaching the microcapsules to the material with a binder which does not prevent release of the substance.
- 2. A method according to claim 1, in which the microcapsules comprise a yeast.
- 3. A method according to claim 2, in which the yeast comprises <u>Saccharomyces cerivisiae</u>.
- A method according to claim 1, in which the microcapsules comprise starch.
- 5. A method according to claim 1, in which the microcapsules comprise corn granules.
- A method according to claim 1, in which the microcapsules comprise cellulosic fibres.
- 7. A method according to claim 6, in which the cellulosic fibres are from wood pulp.

- 12 -

- 8. A method according to claim 1, in which the microcapsules are bound to the material by a moist-cure cross-linking process.
- 9. A method according to claim 1, in which the microcapsules are bound to the material using an ethylene grafted vinyl acetate copolymer emulsion.

10. A method according to claim 1, in which the microcapsules are bound to the material using a copolymer comprising adipic acid and diethylene triamine partially cross-linked with epichlorohydrin.



SUBSTITUTE SHEET




FIG.2

3/5




FIG.3





FIG.4

5/5



*FIG.*5

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 91/00063

I. CLASSI	IFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) *	
	to International Patent Classification (IPC) or to both National Classification and IPC	
IPC ⁵ :		
II. FIELDS	SEARCHED Minimum Documentation Searched 7	
	Cinnel@cation Symbols	
Classificatio	on System	
IPC ⁵	D 06 M	
	Documentation Seerched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched	
,		
III. DOCU	MENTS CONSIDERED TO BE RELEVANT	Relevant to Claim No. 13
Category *	Citation of Document, 11 with indication, where appropriate, of the relevant passages 12	•
X	US, A, 4696863 (TOSHIHIKO MATSUSHITA) 29 September 1987 see column 2, lines 26-37; column 30, lines 40-59; column 4, line 26; column 8, lines 6-50	1,2,3
X	EP, A, 0328937 (KANEBO LTD.) 23 August 1989 see page 2, lines 36-55; page 3, lines 1-14,37-44	1
X	US, A, 4528226 (N.P. SWEENY) 9 July 1985 see column 3, lines 24-48; column 4, lines 31-47	1
х	FR, A, 2005271 (THE NATIONAL CASH REGISTER CO.) 12 December 1969 see page 2, lines 9-21; page 21, lines 20-22	1,8,9
"A" de		is or theory underlying the ice; the claimed invention cannot be considered to ice; the claimed invention an inventive step when the or more other such docupations to a person skilled patent family
internat	16th April 1991 Jonal Searching Authority Signature of Authorities Chicker	S.F. TAZELAAR
	EUROPEAN PATENT OFFICE	

ategory *	Citation of Document, 11 with Indication, where appropriate, of the relevant passages	Relevant to Claim No.
x	EP, A, 0326444 (LAINIERE DE PICARDIE) 2 August 1989 see column 4, lines 41-61; column 5, lines 7-10; column 5, lines 50-59	1,8,9
	•	
X	US, A, 3859151 (D.N. VINCENT) 7 January 1975 see column 3, lines 24-29,62-66	1,4
A	EP, A, 0242135 (AD2 LIMITED) 21 October 1987 see page 2, lines 37-38; page 3, lines 1-13; page 4, lines 1-6 cited in the application	1
	••	
	·	
		·
		,
	•	
	· .	

Form PCT/ISA 210(extra sheet) (January 1985)

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 9100063

43515 SA

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 15/05/91

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
US-A- 4696863	29-09-87	JP-A- JP-A- DE-A,C	61057385 61088871 3530562	24-03-86 07-05-86 06-03-86	
EP-A- 0328937	23-08-89	JP-A- JP-A- JP-A- JP-A- JP-A- JP-A- US-A- US-A-	1201501 1260066 1280080 1292183 2006671 2006672 2041477 4882220 4917920	14-08-89 17-10-89 10-11-89 24-11-89 10-01-90 10-01-90 09-02-90 21-11-89 17-04-90	
US-A- 4528226	09-07-85	None		, , ,	
FR-A- 2005271	12-12-69	AT-A- BE-A- CH-A- DE-A- GB-A- NL-A- SE-B- US-A-	297755 730449 493336 1915591 1222187 6905040 356930 3565666	15-03-72 01-09-69 15-07-70 29-01-70 10-02-71 03-10-69 12-06-73 23-02-71	
EP-A- 0326444	02-08-89	FR-A- JP-A- US-A-	2625745 2127572 4990392	13-07-89 16-05-90 05-02-91	
US-A- 3859151	07-01-75	None	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
EP-A- 0242135	21-10-87	None			

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

15

30

35

insecticide within the cells but to bind a relatively high number of insecticide containing cells to the carpet. It is thought that moth larvae are attracted to yeast as a nutrient source. Encapsulating a small but fatal dose of biocide in each cell and attaching a large number of cells to the wool fibres will provide the capacity to kill large numbers of larvae without depleting the biocide level too much.

The nature of the binder is such that it does not disguise the nature of the microcapsule so that the moth larvae, for example continue to be attracted to the yeast cells rather than to the fibre, notwithstanding that these are embedded in a binder.

Figures 3 to 5 show the insecticide-containing microcapsules 9 bound with Vinamul 6705 (Figures 3 and 4) or Hercosett 125 (figure 5) to a cotton fibre 10 (Figure 3), a cotton batt 11 (Figure 4) or a wool fibre 12 (Figure 5).

The method, according to the invention provides that the microcapsule is not necessarily pre-formed, but may be formed <u>in situ</u> within the binder.

It will be appreciated that it is not intended to limit the invention to the above example only, many variations, such as might readily occur to one skilled in the art, being possible, without departing from the scope thereof as defined by the appended claims.

For example, numerous end use applications of the method according to the invention will be apparent as a consequence of its disclosure.

Although the examples describe application of the microencapsulated substances to substrata by a spraying process, it will be appreciated that a padding process, or indeed a coating, or exhaustion process may be sometimes used with advantage depending on the desired result.

The amount of binder in which the microcapsules are dispersed may be varied so as to affect the distribution of capsules applied to a particular textile. Moreover, it may be desired to alter the accessibility of said capsules so as to expose greater or lesser regions of these to the event which causes release of the substances contained therein.

It will be obvious that the various binders must be treated having regard to the nature of the capsules dispersed therein, so that, for example, treatments which are not detrimental to the binder but which are harmful to the microcapsules and/or contents thereof and vice versa are not used.

The invention is not limited to the examples of the binders described herein, and includes many other suitable polymers, such as polyurethanes and derivatives thereof.

Clalms

1. A method for applying an insecticide to a fibrous textile material characterised by encapsulating the insecticide within microcapsules of a substance which is a food to which insects or their larvae are attracted and attaching the microcapsules to the fibres of the material with a binder which does not impede the release of the insecticide when the microcapsules are devoured.

- 2. A method according to claim 1, characterised in that the substance is yeast.
- 3. A method according to claim 2, characterised in that the yeast comprises Saccharomyces cerivisiae.
- 4. A method according to any one of claims 1 to 3, characterised in that large numbers of microcapsules each containing a small but fatal dose of insecticide are applied.
- 5. A method according to claim 1, characterised in that the microcapsules comprise starch or com granules.
 - 6. A method according to claim 1, characterised in that the microcapsules comprise cellulosic fibres.
 - 7. A method according to claim 6, characterised in that the cellulosic fibres are from wood pulp.
 - 8. A method according to any one of claims 1 to 7, characterised in that the microcapsules are bound to the material by a moist-cure cross-linking process.
 - 9. A method according to any one of claims 1 to 8, characterised in that the microcapsules are bound to the material using an ethylene grafted vinyl acetate copolymer emulsion.
 - 10. A method according to any one of claims 1 to 9, characterised in that the microcapsules are bound to the material using a copolymer comprising adipic acid and diethylene triamine partially cross-linked with epichlorohydrin.

Patentansprüche

1. Verfahren zur Aufbringung eines Insektizids auf ein faserförmiges Textilmaterial, dadurch gekennzeichnet, daß das Insektizid in Mikrokapseln einer Substanz verkapselt wird, welche ein Nahrungsmittel ist, von dem Insekten oder deren Larven angezogen werden, und die Mikrokapseln an den Fasern des Materials mit einem Bindemittel befestigt werden, das die Freisetzung des Insektizids nicht behindert, wenn die Mikrokapseln gefressen werden.

55